

# ARGUS NORTH AMERICAN HEAT RATE FORWARD CURVES

# **Contents:**

Introduction	2
Curve length	2
Corrections to assessments	3
Ethics and compliance	3
Updates to methodology	3

LAST UPDATED: OCTOBER 2022

The most up-to-date Argus North American Heat Rate Forward Curves methodology is available on www.argusmedia.com



# Methodology overview

#### **Methodology rationale**

Argus produces daily forward price curves that are distinct from the forward price assessments published in Argus market reports.

Argus forward curves are the modelled current value of a forward delivery or loading period at the specified timestamp on the day of publication and are not forecasts of future spot prices.

Argus forward curves are produced using models designed to produce reliable and representative indicators of commodity market values, free from distortion.

Model inputs and outputs, including the final forward curves, intermediate values that may be generated during the production process and reports, are subjected to ongoing validation to ensure that the models perform as expected in generating representative prices.

# **Argus North American Heat Rate Forward Curves**

#### Means of calculation

For each term and location, Argus publishes a midpoint, bid level, and offer level for two types of heat rate:

- Nymex heat rates: Argus divides its electricity assessment by the settlement price for the corresponding CME Henry Hub futures contract.
- Other natural gas heat rates: Argus divides its electricity assessment by its assessment of a corresponding local natural gas market.

See the Argus North American Electricity Forward Curves and Argus North American Natural Gas Forward Curves methodologies.

#### **Curve length**

Heat rate are calculated for 84 months forward, the current year, five years, 27 quarters and 21 seasons forward. Note, winter is January-February, spring is March-April and summer is July-August.

## **Timing**

Heat rates are as of the close of CME's Henry Hub futures primary trading session, normally 14:30 EST.

#### **Currency and units of assessment:**

Heat rates are calculated in mn Btu/MWh

### Corrections

Argus will on occasion publish corrections to forward curve prices after the publication date. We will correct errors that arise from clerical mistakes, calculation errors, or a misapplication of our stated methodology. Argus will not retroactively change published prices based on new information learned after publication. We make our best effort to produce forward curves based on the information we gather during the trading day assessed.

Region   Electricity market   Houston Load Zone   HSC   Houston Zone   Waha   North Load Zone   HSC   North Zone   Waha   South Zone   Waha   South Zone   Waha   South Load Zone   Waha   West Zone   Waha   West Zone   Katy   West Load Zone   HSC   Rorth Zone   Waha   West Zone   Katy   West Load Zone   Mana   West Zone   Katy   West Load Zone   Mana   Man	Corresponding natural gas markets			
Houston Load Zone				
Houston Zone   Misha   North Load Zone   HSC   North Zone   Waha   South Zone   Waha   South Load Zone   Katy   West Load Zone   Katy   FRCC   Florida   FGT - 23   Connecticut Zone   Algonquin   Maine Zone   Algonquin   Maine Zone   Algonquin   New Hampshire Zone   Algonquin   New Mampshire Zone   Algonquin   New Mampshire Zone   Algonquin   New Mampshire Zone   Algonquin   New Hampshire Zone   Algonquin   DEOK Hub   TCO   Entergy   Centerpoint   DEOK Hub   TCO   Louisiana Hub   TCO   Louisiana Hub   TCO   Louisiana Hub   Trunkline-LA   Michigan Hub   Michocn CG   Minesota Hub   Thunkline-LA   Michigan Hub   Michocn CG   Minesota Hub   Tool   Toone B   Niagara   Zone A   Niagara   Zone B   Niagara   Zone C   Niagara   Zone D   Niagara   Zone E   Niagara   Zone E   Niagara   Zone H   Algonquin   Zone H   Algonquin   Zone H   Algonquin   Zone H   Algonquin   Zone I   Algonquin   Zone H   Algonquin   Zone I   Algonquin   Zone J   Transco Zone 6 (NY)   APS Zone   Transco Zone 6 (non-NY)   Zone K   Transco Zone 6 (non-NY)   AFP Zone   TCO   APS Zone   Tetco - M3   BGE Zone   Transco Zone 6 (non-NY)   DPU   Transco Zone 6 (non-NY)   PDPU   Transco Zone 6 (non-NY)   PPLZONE   Transco Zone 6 (non-NY)   PP	. togion			
North Zone   Waha   South Zone   Waha   South Zone   Waha   Wah			-	
South Zone   Waha		North Load Zone	HSC	
South Load Zone   Waha	EDCOT	North Zone	Waha	
West Zone   Katy	LINCOT			
West Load Zone				
FRCC				
Connecticut Zone   Algonquin	ED00			
Massachusetts Hub   Algonquin	FRCC			
Maine Zone			· ·	
NEMA Zone   Algonquin   New Hampshire Zone   Algonquin   SEMA Zone   Algonquin   SEMA Zone   Algonquin   SEMA Zone   Algonquin   MCMA Zone   Algonquin   Arkansas Hub   Centerpoint   DEOK Hub   TCO   Entergy   Centerpoint   Illinois Hub   Chicago CG   Indiana Hub   TCO   Louislana Hub   TCO   Louislana Hub   TCO   Louislana Hub   TCO   Centerpoint   Michogan Hub   Michcon CG   Minnesota Hub   Chicago CG   Texas Hub   HSC   Zone A   Niagara   Zone B   Niagara   Zone B   Niagara   Zone C   Niagara   Zone C   Niagara   Zone D   Niagara   Zone D   Niagara   Zone D   Niagara   Zone F   Algonquin   Zone G   Algonquin   Zone G   Algonquin   Zone G   Algonquin   Zone H   Algonquin   Zone H   Algonquin   Zone H   Algonquin   Zone J   Transco Zone 6 (NY)   Zone K   Transco Zone 6 (NY)   Zone K   Transco Zone 6 (non-NY)   AED Zone   Tetco - M3   BGE Zone   Tetco - M3   BGE Zone   Tetco - M3   ATSI Zone   Tetco - M3				
New Hampshire Zone			0 1	
Rhode Island Zone	ISO-NE			
SEMA Zone		<u> </u>		
Arkansas Hub   Centerpoint		SEMA Zone	Algonquin	
DEOK Hub		WCMA Zone	Algonquin	
Entergy			•	
Illinois Hub		DEOK Hub	TCO	
Indiana Hub				
Louisiana Hub   Trunkline-LA	MICO			
Michigan Hub   Michcon CG	MISO			
Minnesota Hub				
Texas Hub				
Zone A			_	
Zone B			1111	
Zone C				
Zone E		Zone C	Niagara	
NYISO   Zone F		Zone D	Niagara	
Zone G		Zone E	Niagara	
Zone H	NYISO	Zone F	Algonquin	
Zone I			Algonquin	
Zone J				
Zone K			<u> </u>	
AD Hub TCO  AECO Zone Transco Zone 6 (non-NY)  AEP Zone TCO  APS Zone Tetco - M3  ATSI Zone Tetco - M3  BGE Zone Transco Zone 6 (non-NY)  ComEd Zone Chicago CG  Dayton Zone Tetco - M3  East Hub TCO  DPL Transco Zone 6 (non-NY)  Duzuesne Zone Tetco - M3  East Hub Transco Zone 6 (non-NY)  JCPL Zone Transco Zone 6 (non-NY)  Meted Zone Transco Zone 6 (non-NY)  NI Hub Chicago CG  Peco Zone Transco Zone 6 (non-NY)  Penelec Zone Transco Zone 6 (non-NY)  Penelec Zone Transco Zone 6 (non-NY)  PEPCO Zone Transco Zone 6 (non-NY)  PEPCO Zone Transco Zone 6 (non-NY)  PECO Zone Transco Zone 6 (non-NY)  PECO Zone Transco Zone 6 (non-NY)  RECO Zone Transco Zone 6 (non-NY)  West Hub Tetco - M3  SERC Southern Hub Tetco - M3  SERC Southern Hub Tetco - ELA  SPP SPP North Hub PEPL  VACAR TCO  COB PG&E CG  Four Corners EP San Juan  Mead EP Permian  WSPP  Mid Columbia MALIN  NP 15 PG&E CG  Palo Verde EP Permian				
AECO Zone			` '	
AEP Zone TCO  APS Zone Tetco - M3  ATSI Zone Tetco - M3  BGE Zone Transco Zone 6 (non-NY)  ComEd Zone Chicago CG  Dayton Zone TCO  DEOK Hub TCO  DPL Transco Zone 6 (non-NY)  Duzuesne Zone Tetco - M3  East Hub Transco Zone 6 (non-NY)  JCPL Zone Transco Zone 6 (non-NY)  Meted Zone Transco Zone 6 (non-NY)  NI Hub Chicago CG  Peco Zone Transco Zone 6 (non-NY)  Penelec Zone Transco Zone 6 (non-NY)  PEPCO Zone Transco Zone 6 (non-NY)  PEPCO Zone Transco Zone 6 (non-NY)  PEPCO Zone Transco Zone 6 (non-NY)  RECO Zone Transco Zone 6 (non-NY)  RECO Zone Transco Zone 6 (non-NY)  SERC Southern Hub Tetco - M3  SERC Southern Hub PEPL  SPP South Hub PEPL  SPP South Hub PEPL  VACAR VACAR TCO  COB PG&E CG  Four Corners EP San Juan  Mead EP Permian  WSPP Mid Columbia MALIN  NP 15 PG&E CG  Palo Verde EP Permian				
APS Zone Tetco - M3  ATSI Zone Tetco - M3  BGE Zone Transco Zone 6 (non-NY)  ComEd Zone Chicago CG  Dayton Zone TCO  DEOK Hub TCO  DPL Transco Zone 6 (non-NY)  Duzuesne Zone Tetco - M3  East Hub Transco Zone 6 (non-NY)  JCPL Zone Transco Zone 6 (non-NY)  Meted Zone Transco Zone 6 (non-NY)  NI Hub Chicago CG  Peco Zone Transco Zone 6 (non-NY)  Penelec Zone Transco Zone 6 (non-NY)  PEPCO Zone Transco Zone 6 (non-NY)  PEPCO Zone Transco Zone 6 (non-NY)  PEPCO Zone Transco Zone 6 (non-NY)  PESE Zone Transco Zone 6 (non-NY)  RECO Zone Transco Zone 6 (non-NY)  SERC Southern Hub Tetco - M3  SERC Southern Hub PEPL  SPP South Hub PEPL  VACAR VACAR TCO  COB PG&E CG  Four Corners EP San Juan  Mead EP Permian  WSPP Mid Columbia MALIN  NP 15 PG&E CG  Palo Verde EP Permian			` '	
ATSI Zone   Tetco - M3 BGE Zone   Transco Zone 6 (non-NY) ComEd Zone   Chicago CG Dayton Zone   TCO DEOK Hub   TCO DPL   Transco Zone 6 (non-NY) Duzuesne Zone   Tetco - M3 East Hub   Transco Zone 6 (non-NY) JCPL Zone   Transco Zone 6 (non-NY) Meted Zone   Transco Zone 6 (non-NY) NI Hub   Chicago CG Peco Zone   Transco Zone 6 (non-NY) Penelec Zone   Transco Zone 6 (non-NY) PEPCO Zone   Transco Zone 6 (non-NY) PEPCO Zone   Transco Zone 6 (non-NY) PEPCO Zone   Transco Zone 6 (non-NY) PECO Zone   Transco Zone 6 (non-NY) PEP Zone   Transco Zone 6 (non-NY) RECO Zone   Transco Zone 6 (non-NY) RECO Zone   Transco Zone 6 (non-NY) SERC   Southern Hub   Tetco - M3 SERC   Southern Hub   PEPL SPP South Hub   PEPL SPP South Hub   PEPL VACAR   VACAR   TCO COB   PG&E CG Four Corners   EP San Juan Mead   EP Permian WSPP   Mid Columbia   MALIN NP 15   PG&E CG Palo Verde   EP Permian				
BGE Zone				
ComEd Zone				
DEOK Hub		ComEd Zone		
DPL		Dayton Zone	TCO	
PJM         Duzuesne Zone         Tetco - M3           East Hub         Transco Zone 6 (non-NY)           JCPL Zone         Transco Zone 6 (non-NY)           Meted Zone         Transco Zone 6 (non-NY)           NI Hub         Chicago CG           Peco Zone         Transco Zone 6 (non-NY)           Penelec Zone         Transco Zone 6 (non-NY)           PEPCO Zone         Transco Zone 6 (non-NY)           PPL Zone         Tetco - M3           PSEG Zone         Transco Zone 6 (non-NY)           RECO Zone         Transco Zone 6 (non-NY)           West Hub         Tetco - M3           SERC         Southern Hub         Tetco - ELA           SPP         SPP North Hub         PEPL           SPP South Hub         PEPL           SPP South Hub         PEPL           VACAR         TCO           COB         PG&E CG           Four Corners         EP San Juan           Mead         EP Permian           WSPP         Mid Columbia         MALIN           NP 15         PG&E CG           Palo Verde         EP Permian		DEOK Hub		
East Hub				
East Hub	P.IM			
Meted Zone         Transco Zone 6 (non-NY)           NI Hub         Chicago CG           Peco Zone         Transco Zone 6 (non-NY)           Penelec Zone         Transco Zone 6 (non-NY)           PEPCO Zone         Transco Zone 6 (non-NY)           PPL Zone         Tetco - M3           PSEG Zone         Transco Zone 6 (non-NY)           RECO Zone         Transco Zone 6 (non-NY)           West Hub         Tetco - M3           SERC         Southern Hub         Tetco - ELA           SPP         SPP North Hub         PEPL           SPP South Hub         PEPL           VACAR         TCO           COB         PG&E CG           Four Corners         EP San Juan           Mead         EP Permian           WSPP         Mid Columbia         MALIN           NP 15         PG&E CG           Palo Verde         EP Permian			,	
NI Hub			` '	
Peco Zone         Transco Zone 6 (non-NY)           Penelec Zone         Transco Zone 6 (non-NY)           PEPCO Zone         Transco Zone 6 (non-NY)           PPL Zone         Tetco - M3           PSEG Zone         Transco Zone 6 (non-NY)           RECO Zone         Transco Zone 6 (non-NY)           West Hub         Tetco - M3           SERC         Southern Hub         Tetco - ELA           SPP         SPP North Hub         PEPL           SPP South Hub         PEPL           VACAR         TCO           COB         PG&E CG           Four Corners         EP San Juan           Mead         EP Permian           WSPP         Mid Columbia         MALIN           NP 15         PG&E CG           Palo Verde         EP Permian			,	
Penelec Zone         Transco Zone 6 (non-NY)           PEPCO Zone         Transco Zone 6 (non-NY)           PPL Zone         Tetco - M3           PSEG Zone         Transco Zone 6 (non-NY)           RECO Zone         Transco Zone 6 (non-NY)           West Hub         Tetco - M3           SERC         Southern Hub         Tetco - ELA           SPP         SPP North Hub         PEPL           SPP South Hub         PEPL           VACAR         TCO           COB         PG&E CG           Four Corners         EP San Juan           Mead         EP Permian           WSPP         Mid Columbia         MALIN           NP 15         PG&E CG           Palo Verde         EP Permian			<u> </u>	
PEPCO Zone         Transco Zone 6 (non-NY)           PPL Zone         Tetco - M3           PSEG Zone         Transco Zone 6 (non-NY)           RECO Zone         Transco Zone 6 (non-NY)           West Hub         Tetco - M3           SERC         Southern Hub         Tetco - ELA           SPP         SPP North Hub         PEPL           SPP South Hub         PEPL           VACAR         TCO           COB         PG&E CG           Four Corners         EP San Juan           Mead         EP Permian           WSPP         Mid Columbia         MALIN           NP 15         PG&E CG           Palo Verde         EP Permian			, ,	
PPL Zone         Tetco - M3           PSEG Zone         Transco Zone 6 (non-NY)           RECO Zone         Transco Zone 6 (non-NY)           West Hub         Tetco - M3           SERC         Southern Hub         Tetco - ELA           SPP         SPP North Hub         PEPL           SPP South Hub         PEPL           VACAR         TCO           COB         PG&E CG           Four Corners         EP San Juan           Mead         EP Permian           WSPP         Mid Columbia         MALIN           NP 15         PG&E CG           Palo Verde         EP Permian			, ,	
PSEG Zone         Transco Zone 6 (non-NY)           RECO Zone         Transco Zone 6 (non-NY)           West Hub         Tetco - M3           SERC         Southern Hub         Tetco - ELA           SPP         SPP North Hub         PEPL           SPP South Hub         PEPL           VACAR         TCO           COB         PG&E CG           Four Corners         EP San Juan           Mead         EP Permian           WSPP         Mid Columbia         MALIN           NP 15         PG&E CG           Palo Verde         EP Permian			, ,	
RECO Zone         Transco Zone 6 (non-NY)           West Hub         Tetco - M3           SERC         Southern Hub         Tetco - ELA           SPP         SPP North Hub         PEPL           SPP South Hub         PEPL           VACAR         TCO           COB         PG&E CG           Four Corners         EP San Juan           Mead         EP Permian           WSPP         Mid Columbia         MALIN           NP 15         PG&E CG           Palo Verde         EP Permian				
West Hub         Tetco - M3           SERC         Southern Hub         Tetco - ELA           SPP         SPP North Hub         PEPL           SPP South Hub         PEPL           VACAR         TCO           COB         PG&E CG           Four Corners         EP San Juan           Mead         EP Permian           WSPP         Mid Columbia         MALIN           NP 15         PG&E CG           Palo Verde         EP Permian				
SPP         SPP North Hub         PEPL           SPP South Hub         PEPL           VACAR         TCO           COB         PG&E CG           Four Corners         EP San Juan           Mead         EP Permian           WSPP         Mid Columbia         MALIN           NP 15         PG&E CG           Palo Verde         EP Permian				
SPP         SPP South Hub         PEPL           VACAR         VACAR         TCO           COB         PG&E CG           Four Corners         EP San Juan           Mead         EP Permian           WSPP         Mid Columbia         MALIN           NP 15         PG&E CG           Palo Verde         EP Permian	SERC	Southern Hub	Tetco - ELA	
SPP South Hub	SPP	SPP North Hub	PEPL	
COB PG&E CG Four Corners EP San Juan Mead EP Permian  WSPP Mid Columbia MALIN  NP 15 PG&E CG  Palo Verde EP Permian				
Four Corners	VACAR			
Mead         EP Permian           WSPP         Mid Columbia         MALIN           NP 15         PG&E CG           Palo Verde         EP Permian	WSPP			
MSPP         Mid Columbia         MALIN           NP 15         PG&E CG           Palo Verde         EP Permian				
NP 15 PG&E CG Palo Verde EP Permian				
Palo Verde EP Permian				
			EP Permian Socal	



# Ethics and compliance

Argus operates according to the best practices in the publishing field, and maintains thorough compliance procedures throughout the firm. We want to be seen as a preferred provider by our subscribers, who are held to equally high standards, while at the same time maintaining our editorial integrity and independence. Argus has a strict ethics policy that applies to all staff. The policy can be found on our website at www.argusmedia.com.

Included in this policy are restrictions against staff trading in any energy commodity or energy related stocks, and guidelines for accepting gifts. Argus also has strict policies regarding central archiving of email and instant messenger communication, maintenance and archiving of notes, and archiving of spreadsheets and deal lists used in the forward curve generation process. Argus publishes prices that report and reflect prevailing levels for open-market arms length transactions (please see the Argus Global Compliance Policy for a detailed definition of arms length).

## Review of methodology

The overriding objective of any methodology is to produce prices which are reliable and representative indicators of commodity market values and are free from distortion. As a result, Argus regularly examines our methodologies and is in regular dialogue with the industry in order to ensure that the methodologies are representative of the market being assessed.

In addition to this ongoing review of methodology, Argus conducts reviews of all of its methodologies and methodology documents on at least an annual basis.

Argus will periodically and as merited initiate reviews of market coverage based on a qualitative analysis that includes measurements of liquidity, visibility of market data, consistency of market data, quality of market data and industry usage of the resulting forward prices. Argus will review:

- Appropriateness of the methodology of existing forward
   Curves
- · Termination of existing forward curves
- Initiation of new forward curves

An informal process will be initiated to examine viability. This process includes:

- Informal discussions with market participants
- Informal discussions with other stakeholders
- · Internal review of market data

Should changes, terminations, or initiations be merited, an internal proposal will be submitted to management for review and approval. Should changes or terminations of existing forward curves be approved, then formal procedures for external consultation are begun.

# Changes to methodology

Formal proposals to change methodologies typically emerge out of the ongoing process of internal and external review of the methodologies. Formal procedures for external consultation regarding material changes to existing methodologies will be initiated with an announcement of the proposed change published to subscribers. This announcement will include:

- Details on the proposed change and the rationale
- Method for submitting comments with a deadline for submissions
- Notice that all formal comments will be published after the given consultation period unless submitter requests confidentiality.

Argus will provide sufficient opportunity for stakeholders to analyse and comment on changes, but will not allow the time needed to follow these procedures to create a situation wherein unrepresentative or false prices are published, markets are disrupted, or market participants are put at unnecessary risk.

Argus will engage with industry throughout this process in order to gain acceptance of proposed changes to methodology. Argus cannot however guarantee universal acceptance and will act for the good order of the market and ensure the continued integrity of its forward curves as an overriding objective.

Following the consultation period, Argus management will commence an internal review and decide on the methodology change. This will be followed by an announcement of the decision, which will be published to subscribers and include a date for implementation.

# Publishing schedule

Argus International Biofuels Forward Curves are published on weekdays, according to a publishing schedule that is available at www.argusmedia.com.